



www.support4NICUparents.org

Bibliography on Mental Health Issues in the NICU

Screening

- 1- Beck A, Ward C, Mendelson M, Mock J, Erbaugh J. An inventory for measuring depression. *Arch Gen Psychiatry* 1961; **4**(6): 561–571.
- 2- Beck C, Gable R. Postpartum Depression Screening Scale: development and psychometric testing. *Nurs Res* 2000; **49**(5): 272–282.
- 3- Callahan J, Hynan M. Identifying mothers at risk for postnatal emotional distress: Further evidence for the validity of the Perinatal Posttraumatic Stress Disorder Questionnaire. *J Perinatol* 2002; **22**(6): 448–54.
- 4- Callahan J, Borja S, Hynan M. Modification of the Perinatal PTSD Questionnaire to enhance clinical utility. *J Perinatol* 2006; **26**(9): 533–9.
- 5- Committee on Obstetric Practice of the American College of Obstetricians and Gynecologists. Screening for depression during and after pregnancy [Internet]. The American College of Obstetricians and Gynecologists. 2010. Available from: <http://www.acog.org/-/media/Committee-Opinions/Committee-on-Obstetric-Practice/co453.pdf?dmc=1&ts=20150413T1816213419>
- 6- Cox J, Holden J, Sagovsky R. Detection of postnatal depression: development of the 10-item Edinburgh Postnatal Depression Scale. *Br J Psychiatry* 1987; **150**(6): 782–786.
- 7- Davidson J, Book S, Colket J, Tupler L, Roth S, David D *et al.* Assessment of a new self-rating scale for post-traumatic stress disorder. *Psychol Med* 1997; **27**(1): 153–160.
- 8- De Figueiredo F, Parada A, Cardoso V, Batista R, da Silva A, Barbieri M *et al.* Postpartum depression screening by telephone: a good alternative for public health and research. *Arch Womens Ment Health* 2014 Nov 9; [Epub ahead of print].
- 9- Earls M, the Committee on Psychosocial Aspects of Child and Family Health. Incorporating recognition and management of perinatal and postpartum depression into pediatric practice. *Pediatrics* 2010; **126**(5): 1032–9.
- 10- Eberhard-Gran M, Eskild A, Tambs K, Opjordsmoens S, Samuelsen S. Review of validation studies of the Edinburgh Postnatal Depression Scale. *Acta Psychiatr Scand* 2001; **104**(4): 243–249.

- 11- Feigl C, Poye L, Postma I, *et al.* Hypertensive disorders of pregnancy and risk of screening positive for posttraumatic stress disorder: A cross-sectional study. *Pregnancy Hypertens* 2013; **3**(4): 254–60.
- 12- Gjerdingen D, Crow S, McGovern P, Miner M, Center B. Postpartum depression screening at well-child visits: validity of a 2-question screen and the PHQ-9. *Ann Fam Med* 2009; **7**(1): 63–70.
- 13- Hynan M, Mounts K, Vanderbilt D. Screening parents of high-risk infants for emotional distress: rationale and recommendations. *J Perinatol* 2013; **33**: 748–53.
- 14- Keren M, Feldman R, Eidelman AI, Sirota L, Lester B. Clinical interview for high-risk parents of premature infants (CLIP) as a predictor of early disruptions in the mother-infant relationship at the nursery. *Infant Mental Health J* 2003; **24**(2): 93–110.
- 15- Marce International Society. Marcé International Society Position Statement 2013: Psychosocial Assessment and Depression Screening in Perinatal Women [Internet]. www.marcesociety.com. 2013. Available from: <https://marcesociety.com/wp-content/uploads/2013/11/Marce-Position-Statement.pdf>
- 16- Meyer E, Zeanah C, Boukydis C, Lester B. A clinical interview for parents of high-risk infants: concept and applications. *Infant Mental Health J* 1993; **14**(3): 192-207.
- 17- Mounts, K. Screening for maternal depression in the neonatal ICU. *Clin Perinatol* 2009; **36**(1): 137-152.
- 18- National Perinatal Association. Depression screening for new fathers [Internet]. National Perinatal Association; 2014. Available from: <http://nationalperinatal.org/Resources/Depression%20Screening%20for%20New%20Fathers%203-16-14-1.pdf>
- 19- Prins A, Ouimette P, Kimerling, R, Cameron R, Hugelshofer D, Shaw-Hegwer J *et al.* The primary care PTSD screen (PC-PTSD): development and operating characteristics. *Prim Care Psychiatry* 2003; **9**(1): 9-14.
- 20- Radloff L. The CES-D Scale: a self-report depression scale for research in the general population. *Appl Psychol Meas* 1977; **1**(3): 358-401.
- 21- Rogers C, Kidokoro H, Wallendorf M, Inder T. Identifying mothers of very preterm infants at-risk for postpartum depression and anxiety before discharge. *J Perinatol* 2013; **33**(3): 171–6.
- 22- Sampilo M, Lassen S, Belmont J, Parimi P. Development and validation of a psychosocial screening tool to identify high-risk families in the neonatal intensive care unit. The PAT-NICU. Poster presented at the annual conference of the Society of Pediatric Psychology: San Antonio, TX, USA, 2011.
- 23- Segre L, McCabe J, Chuffo-Siewert R, O’Hara M. Depression and anxiety symptoms in mothers of newborns hospitalized on the Neonatal Intensive Care Unit. *Nurs Res* 2014; **63**(5): 320–32.

- 24- Shaw R, Lilo E, Storfer-Isser A *et al.* Screening for Symptoms of Postpartum Traumatic Stress in a Sample of Mothers with Preterm Infants. *Issues Ment Health Nurs* 2014; 35(3): 198–207.
- 25- Stramrood C, Huis In 't Veld E, Van Pampus M *et al.* Measuring posttraumatic stress following childbirth: a critical evaluation of instruments. *J Psychosom Obstet Gynaecol* 2010; 31(1): 40–9.

Treatment/Interventions

- 1- Bonanno G, Westphal M, Mancini A. Resilience to loss and potential trauma. *Ann Rev Clin Psychol* 2011; 7: 511–35.
- 2- Bower P, Gilbody S. Stepped care in psychological therapies: access, effectiveness and efficiency. *Br J Psychiatry* 2005; 186: 11–7.
- 3- Chuffo-Siewert R, Cline M, Segre L. Implementation of an innovative nurse-delivered depression intervention for mothers of NICU infants. *Adv Neonatal Care* 2015; 15(2): 1–8.
- 4- Friedman SH, Kessler A, Yang SN, Parsons S, Friedman H, Martin RJ. Delivering perinatal psychiatric services in the neonatal intensive care unit. *Acta Paediatr* 2013; 102: e392–e397.
- 5- Hodgkinson S, Beers L, Southammakosane C, Lewin A. Addressing the mental health needs of pregnant and parenting adolescents. *Pediatrics* 2014;133(1): 114–22.
- 6- Jotzo M, Poets C. Helping parents cope with the trauma of premature birth: an evaluation of a trauma-preventive psychological intervention. *Pediatrics* 2005; 115(4): 915-919.
- 7- Kazak A. Pediatric psychosocial preventative health model (ppphm): Research, practice, and collaboration in pediatric family systems medicine. *Fam Syst Health* 2006; 24(4): 381–95.
- 8- Melnyk B, Feinstein N, Alpert-Gillis L, Fairbanks E, Crean H, Sinkin R *et al.* Reducing premature infants' length of stay and improving parents' mental health outcomes with the Creating Opportunities for Parent Empowerment (COPE) neonatal intensive care unit program: a randomized, controlled trial. *Pediatrics* 2006; 118(5): e1414–e1427.
- 9- Penny KA, Freidman SH, Halstead GM. Psychiatric support for mothers in the neonatal intensive care unit, *J Perinatol*2015; 35(6): 451-457.
- 10- Segre L, O'Hara M, Arndt S, Tatano-Beck C. Nursing care for postpartum depression, part 1: do nurses think they should offer both screening and counseling? *Am J Matern Child Nurs* 2010; 35(4): 220–225.
- 11- Segre L, Chuffo-Siewert R, Brock R, O'Hara M. Emotional distress in mothers of preterm hospitalized infants: a feasibility trial of nurse-delivered treatment. *J Perinatol* 2013; 33: 924–8.

- 12- Segre L, Stasik S, O'Hara M, Arndt S. Listening Visits: an evaluation of the effectiveness and acceptability of a home-based depression treatment. *Psychother Res* 2010; **20**(6): 712–21.
- 13- Segre L, Brock, O'Hara, M. Depression treatment for impoverished mothers by point-of-care providers: a randomized controlled trial. *J Consult Clin Psychol* 2015; **83**(2): 314-324.
- 14- Shaw RJ, Bernard RS, DeBlois T, *et al.* Relationship of acute stress disorder and PTSD in the NICU. *Psychosomatics* 2009; **50**(2), 131-137.
- 15- Shaw R, St. John N, Lilo E, Jo B, Benitez W, Stevenson D *et al.* Prevention of traumatic stress in mothers of preterm infants: a randomized controlled trial. *Pediatrics* 2013; **132**(4): 1–9.
- 16- Shaw R, St. John N, Lilo E, Jo B, Benitez W, Stevenson D *et al.* Prevention of traumatic stress in mothers of preterms: 6-month outcomes. *Pediatrics* 2014; **134**(2): e481–8.
- 17- Shaw R, Sweetster C, St. John N, Lilo E, Corcoran J, Jo B, *et al.* Prevention of postpartum traumatic stress in mothers with preterm infants: manual development and evaluation. *Issues Ment Health Nurs* 2013; **34**: 578–86.
- 18- Zeanah C, Canger C, Jones J. Clinical approaches to traumatized parents: psychotherapy in the intensive-care nursery. *Child Psychiatry Hum Dev* 1984; **14**: 158–69.

Parental Depression and Infant Development

- 1- Bergstrom E, Wallin L, Thomson G, Flacking R. Post-partum depression in mothers of infants cared for in the neonatal intensive care unit-incidence and associated factors. *J Neonatal Nurs* 2012; **18**: 143–51.
- 2- Bernard-Bonnin A, Psychosocial Paediatrics Committee of Canadian Society of Pediatrics, Canadian Paediatric Society. Maternal depression and child development. *Pediatr Child Health* 2004; **9**(8): 575–83.
- 3- Cho J, Holditch-Davis D, Miles S. Effects of maternal depressive symptoms and infant gender on the interactions between mothers and their medically at-risk infants. *J Obstet Gynecol Neonatal Nurs* 2008; **37**(1): 58–70.
- 4- Davis R, Davis M, Freed G, Clark S. Fathers' depression related to positive and negative parenting behaviors with 1-year old children. *Pediatrics* 2011; **127**(4): 612–618.

- 5- Gutierrez-Galve L, Stein A, Hanington L, Heron J, Ramchandani P. Paternal depression in the postnatal period and child development: mediators and moderators. *Pediatrics* 2015; **135**(2): e339–47.
- 6- Huhtala M, Korja R, Lehtonen L, Haataha L, Lapinleimu P, Rautava P *et al.* Parental psychological well-being and behavioral outcome of very low birth weight infants at 3 years. *Pediatrics* 2012; **129**(4): e937–44.
- 7- Keim S, Daniels J, Dole N, Herring A, Siega-Riz A, Scheidt P. A prospective study of maternal anxiety, perceived stress, and depressive symptoms in relation to infant cognitive development. *Early Hum Dev* 2011; **87**(5): 373–380.
- 8- McManus B, Poehlmann J. Maternal depression and perceived social support as predictors of cognitive function trajectories during the first 3 years of life for preterm infants in Wisconsin. *Child Care Health Dev* 2012; **38**(3): 425–434.
- 9- Murray L, Arteche A, Fearon P, Halligan S, Goodye I, Cooper P. Maternal postnatal depression and the development of depression in offspring up to 16 years of age. *J Am Acad Child Adolesc Psychiatry* 2011; **50**(5): 460–470.
- 10- Paulson J, Bazemore S. Prenatal and postpartum depression in fathers and its association with maternal depression: a meta-analysis. *JAMA* 2010; **303**(19): 1961–9.
- 11- Ramchandani P, Psychogiou L, Vlachos H, Iles J, Sethna V, Netsi E *et al.* Paternal depression: an examination of its links with father, child and family functioning in the postnatal period. *Depress Anxiety* 2011; **28**(6): 471–477.
- 12- Voegtline K, Stifter C. The Family Life Project Investigators. Late-preterm birth, maternal symptomatology, and infant negativity. *Infant Behav Dev* 2010; **33**(4): 545–554.

Psychological Distress, Parental Depression and PTSD in NICU Parents

- 1- Brandon A, Trivedi M, Hynan L, Miltenberger P, Labat D, Rifkin J, Stringer C. Prenatal depression in women hospitalized for obstetric risk. *J Clin Psychiatry* 2008; **69**(4): 635–643.
- 2- Brandon D, Tully K, Silva S, Malcolm W, Murtha A, Turner BS *et al.* Emotional responses of mothers of late-preterm and term infants. *J Obstet Gynecol Neonatal Nurs* 2011; **40**(6): 719–731.
- 3- Davis L, Edwards H, Mohay H, Wollin J. The impact of very premature birth on the psychological health of mothers. *Early Hum Dev* 2003; **73**(1-2): 61–70.
- 4- DeMier R, Hynan M, Harris H, Manniello R. Perinatal stressors as predictors of symptoms of posttraumatic stress in mothers of infants at high risk. *J Perinatol* 1996; **16**(4): 276–80.
- 5- Feeley N, Zerkowitz P, Cormier C, Charbonneau L, Lacroix A, Papageorgiou A.
Posttraumatic stress among mothers of very low birthweight infants at 6

- months after discharge from the neonatal intensive care unit. *Appl Nurs Res* 2011; **24**(2): 114–7.
- 6- Grigoriadis S, vonderporten E, Mamisashvilli L, Tomlinson G, Dennis C, Koren G et al. The impact of maternal depression during pregnancy on perinatal outcomes: a systematic review and meta-analysis. *J Clin Psychiatry* 2013; **74**(1): e321-341.
 - 7- Holditch-Davis D, Miles MS, Weaver MA, Black B, Beeber L, Thoyre S, Engelke S. Patterns of distress in African-American mothers of preterm infants. *J Dev Behav Pediatr* 2009; **30**(3): 193-205.
 - 8- Lefkowitz D, Baxt C, Evans J. Prevalence and correlates of posttraumatic stress and postpartum depression in parents of infants in the Neonatal Intensive Care Unit (NICU). *J Clin Psychol Med Settings* 2010; **17**(3): 230–7.
 - 9- Miles S, Holditch-Davis D, Schwartz T, Scher M. Depressive symptoms in mothers of prematurely born infants. *J Dev Behav Pediatr* 2007; **28**(1): 36–44.
 - 10- Seng J, Low L, Sperlich M, Ronis D, Liberzon I. Post-traumatic stress disorder, child abuse history, birthweight and gestational age: a prospective cohort study. *BJOG* 2011; **118**(11): 1329–1339.
 - 11- Shaw J, Asch S, Kimerling R, Frayne S, Shaw K, Phibbs C. Posttraumatic stress disorder and risk of spontaneous preterm birth. *Obstet Gynecol* 2014; **124**(6): 1111-1119.
 - 12- Vanderbilt D, Bushley T, Young R, Frank D. Acute posttraumatic stress symptoms among urban mothers with newborns in the neonatal intensive care unit: a preliminary study. *J Dev Behav Pediatr* 2009; **30**(1): 50–6.
 - 13- Yonkers K, Smith M, Forray A, Epperson C, Costello D, Lin H, Belanger K. Pregnant women with posttraumatic stress disorder and risk of preterm birth. *JAMA Psychiatry* 2014; **71**(8): 897-904.

SLH, 11/2/15