



www.support4NICUParents.org

Bibliography on Post-Discharge and Follow-up Support

Affleck G, Tennen H, Allen D, Gershman K. Perceived social support and maternal adaptation during the transition from hospital to home care of high risk infants. *Inf Mental Health J* 1986; 7(1): 6–18.

Altimier L, Phillips R. The Neonatal Integrative Developmental Care Model: Seven Neuroprotective Core Measures for Family-Centered Developmental Care. *Newborn Infant Nurs Rev* 2013; 13(1): 9–22.

American Academy of Pediatrics Committee on Fetus and Newborn. Policy Statement: Hospital discharge of the high-risk neonate. *Pediatrics* 2008; 122(5): 1119-1126.

American Academy of Pediatrics. Follow-up care of high-risk infants. *Pediatrics* 2004; 114: 1377–1397.

American Academy of Pediatrics. The medical home. *Pediatrics* 2004; 113(5). Part 2: 1545-1548.

American Academy of Pediatrics. Patient- and Family-Centered Care Coordination: A Framework for Integrating Care for Children and Youth Across Multiple Systems. Available from:

<http://pediatrics.aappublications.org/content/133/5/e1451.full.pdf>

American Academy of Pediatrics and American College of Obstetricians and Gynecologists. *Perinatal guidelines for home visitation*. 2010; Washington, DC.

Bockli K, Andrews B, Pellerite M, Meadow W. Trends and challenges in United States neonatal intensive care units follow-up clinics. *J Perinatol* 2014; 34: 71-74.

Boss RD. Continuity of care for NICU graduates. *Contemporary Pediatrics* - American Academy of Pediatrics [Internet]. 2013 Oct 1; Available from:

<http://contemporarypediatrics.modernmedicine.com/contemporary-pediatrics/content/tags/american-academy-pediatrics/continuity-care-nicu-graduates>

Bennett D, Slade P. Infants born at risk: consequences for maternal postpartum adjustment. *Br J Med Psychol* 1991; 64: 159–72.

Brett J, Staniszewska S, Newburn M, *et al.* A systematic mapping review of effective interventions for communicating with, supporting and providing information to parents of preterm infants. *BMJ Open* 2001; 1(1): e000023. doi: 10.1136/bmjopen-2010-000023.

Committee on Obstetric Practice of the American College of Obstetricians and Gynecologists. Screening for depression during and after pregnancy [Internet]. The American College of Obstetricians and Gynecologists. 2010. Available from: <http://www.acog.org/-/media/Committee-Opinions/Committee-on-Obstetric-Practice/co453.pdf?dmc=1&ts=20150413T1816213419>

Dodge KA, Goodman WB, Murphy RA, O'Donnell K, Sato J. Randomized controlled trial of universal postnatal nurse home visiting: impact on emergency care. *Pediatrics* 2013; 132: S140-S146.

Earls M, the Committee on Psychosocial Aspects of Child and Family Health. Incorporating recognition and management of perinatal and postpartum depression into pediatric practice. *Pediatrics* 2010; 126(5): 1032-9.

Elliott S, Reimer C. Postdischarge Telephone Follow-up Program for Breastfeeding Preterm Infants Discharged from a Special Care Nursery. *Neonatal Network* 1998; 17(6): 41-5.

Gerstein E, Poehlmann-Tynan J, Clark R. Mother-child interactions in the NICU: relevance and implications for later parenting. *J Pediatr Psychol* 2015; 40: 33-44.

Gjerdingen D, Crow S, McGovern P, Miner M, Center B. Postpartum depression screening at well-child visits: validity of a 2-question screen and the PHQ-9. *Ann Fam Med* 2009; 7(1): 63-70.

Goyal N, Teeters A, Ammerman R. Home visiting and outcomes of preterm infants: A systematic review. *Pediatrics* 2013; 132: 502-16.

Groen H, Easterling T, Tsigas E, *et al.* The brain study: cognition, quality of life and social functioning following preeclampsia; An observational study. *Pregnancy Hypertens* 2013; 3(4): 227-34.

Health Resources and Services Administration Maternal, Infant and Early Childhood Home Visitation Program Partnering with Parents to Help Children Succeed. 2015. Available at www.mchb.hrsa.gov/programs/homevisiting

Hodgkinson S, Beers L, Southammakosane C, Lewin A. Addressing the mental health needs of pregnant and parenting adolescents. *Pediatrics* 2014; 133(1): 114-22.

Howland L. Preterm birth: Implications for family stress and coping. *Newborn Infant Nursing Reviews* 2007; 7(1): 14-9.

Huhtala M, Korja R, Lehtonen L, Haataha L, Lapinleimu P, Rautava P, *et al.* Parental psychological well-being and behavioral outcome of very low birth weight infants at 3 years. *Pediatrics* 2012; 129(4): e937-44.

Hynan M, Mounts K, Vanderbilt D. Screening parents of high-risk infants for emotional distress: rationale and recommendations. *J Perinatol* 2013; 33(10): 748-753.

Ishizaki Y, Nagahama T, Kaneko K. Mental health of mothers and their premature infants for the prevention of child abuse and maltreatment. *Health* 2013; 5(3): 612–6.

Mackley AB, Spear ML. Forgotten parent: NICU paternal emotional response. *Adv Neonatal Care* 2010; 10(4): 200-203.

Medical Home Initiatives for Children With Special Needs Project Advisory Committee. The medical home. *Pediatrics* 2002; 110(1): 184–6.

Melnyk B, Crean H, Feinstein N, Fairbanks E. Maternal anxiety and depression after a premature infant's discharge from the neonatal intensive care unit: explanatory effects of the creating opportunities for parent empowerment program. *Nurs Res* 2008; 57(6): 383-394.

Musser AK, Ahmed AH, Foil KJ, Coddington, JA. Paternal postpartum depression: what health care providers should know. *J Pediatr Health Care* 2013; 27: 479-485.

Parker, C, Warmuskerken, G Sinclair, L. Enhancing neonatal wellness with home visitation. *Nurs Womens Health*. 2015; 19: 37-41.

Paul IM, Beiler JS, Schaefer EW, Hollenbeak CS, Alleman N *et al*. A randomized trial of single home nursing visits versus office-based care after nursery/maternity discharge: the Nurses for Infants Through Teaching and Assessment After the Nursery (NITTANY) Study. *Arch Pediatr Adolesc Med*; 2012; 166: 263-270.

Placencia F, McCullough L. Biopsychosocial risks of parental care for high-risk neonates: implications for evidence-based parental counseling. *J Perinatol* 2012; 32(5): 381–6.

Purdy I, Melwak M. Who is at risk? High risk infant follow-up. *Newborn Infant Nurs Rev* 2012; 12(4): 221-226.

Purdy I, Singh N, Le C, Bell C, Whiteside C, Collins M. Biopsychologic and social stress relationships with breast milk feeding pre- and post-discharge from the neonatal intensive care unit. *J Obstet Gynecol Neonatal Nurs* 2012; 41: 347-357.

Raffray M, Semenic S, Galeano SO, Marin S. Barriers and facilitators of preparing families with premature infants for discharge home from the neonatal unit. Perceptions of health care providers. *Invest Educ Enferm* 2014; 32: 379-392.

Segre L, Stasik S, O'Hara M, Arndt S. Listening Visits: an evaluation of the effectiveness and acceptability of a home-based depression treatment. *Psychother Res* 2010; 20(6): 712–21.

Segre L, Chuffo-Siewert R, Brock R, O'Hara M. Emotional distress in mothers of preterm hospitalized infants: a feasibility trial of nurse-delivered treatment. *J Perinatol* 2013; 33: 924–8.

Shaw R, Sweetster C, St. John N, Lilo E, Corcoran J, Jo B, *et al*. Prevention of postpartum traumatic stress in mothers with preterm infants: manual development and evaluation. *Issues Ment Health Nurs* 2013; 34: 578–86.

Singer L, Fulton S, Kirchner H, Eisengart S, Lewis B, Short E, *et al.* Longitudinal predictors of maternal stress and coping after very low-birth-weight birth. *Arch Pediatr Adolesc Med* 2012; 164(6): 518–24.

Singer LT, Fulton S, Davillier M, Koshy D, Salvator A, Baley JE. Effects of infant risk status and maternal psychological distress on maternal-infant interactions during the first year of life. *J Dev Behav Pediatr* 2003; 24: 233–241.

Smith VC, Hwang SS, Dukhovy D, Young S, Pursley DM. Neonatal intensive care unit discharge preparation, family readiness and infant outcomes: connecting the dots. *J Perinatol* 2013; 33: 415-421.

Taylor HG, Klein N, Hack M. School-age consequences of birth weight less than 750 g: a review and update. *Dev Neuropsychol* 2000; 17: 289–321.

U.S. Department of Health and Human Resources, Administration for Children and Families, Home Visiting Evidence of Effectiveness (HomeVee). 2015. Available at <http://homvee.acf.hhs.gov>

Van Cleave J, Boudreau A, McAllister J, Cooley W, Maxwell A, Kuhlthau K. Care coordination over time in medical homes for children with special health care needs. *Pediatrics* 2015; 135(6): 1018–26.

White-Traut R. Reduced healthcare utilization at 6-week corrected age among premature infants after the H-HOPE Mother–Infant Developmental Intervention. *J Obstet Gynecol Neonatal Nurs* 2013; 42(S1): S87.

Zahr L. Correlates for mother-infant interaction in premature infants from low socioeconomic backgrounds. *Pediatr Nurs* 1991; 17(3): 259–64.

11/14/15, SLH